



DSL Expresse

Highlights

- Extend the reach and rate of DSL systems
- Provide next-generation services, including IPTV
- Maximize service quality
- Reduce maintenance costs
- Optimize DSL network performance

Take Your DSL Further, Faster and into the Future

With the massive growth in demand for IPTV and wireless Internet, service providers must be able to do more with less to compete and avoid churn. Many are discovering that fiber-to-the-home is neither cost effective nor practical in a large number of cases, and cable still lacks substantial customer adoption worldwide.

DSL continues to serve more people than fiber, fixed wireless, and cable combined, challenging service providers to leverage existing copper investments while offering next generation capabilities. The ASSIA® DSL Expresse® solution is helping achieve that goal and extend the rate and reach of DSL systems while maximizing service quality and minimizing maintenance costs.

ASSIA DSL Expresse optimizes the operating parameters (“profile”) of each DSL and produces detailed line-level and network-level diagnostics for both the copper plant and DSL service. ASSIA DSL Expresse is a software-only solution and compatible with all standards-based DSLAMs. Currently, it supports ADSL1, ADSL2/2+, DSL Bonding, and VDSL2, and is successfully deployed

on networks throughout the world. Designed for the most challenging DSL deployments, ASSIA's DSL Expresse is scalable to networks of more than 20 million lines.

ASSIA DSL Expresse also is the industry's first DSL management platform to incorporate industry-leading technologies for optimizing DSL networks, commonly referred to as Dynamic Spectrum Management (DSM) Level 2. Central among these features is a power management module that can significantly reduce DSLAM energy costs without compromising speed and reliability.

The ASSIA DSL Expresse southbound interface supports SNMPv1, and other standard management languages for easy integration with all vendors' DSLAMs and element management systems (EMSs). An XML-based Web-services northbound interface is provided for integration with other operations support systems. ASSIA DSL Expresse also supports access to diagnostic and management interfaces via standard Web browsers, so operators can enjoy immediate benefits with minimal integration effort (see Figure 1).




FIGURE 1. DSL Expresse Architecture

ASSIA DSL
 Express
 automatically
 configures
 all lines in
 the network
 to the highest
 possible
 stable speed.

ASSIA DSL Express Functions

AUTOMATIC RE-PROFILING AND REPAIR

DSL profiles are complex and include many factors that constantly interact, such as power levels and margins, bit rates, interleaving, and forward error correction schemes. Operators have traditionally defined a limited number of profiles for their network and applied them to their DSLs manually using simple heuristics such as loop length. Each loop in the network is different, however, and often the result of the traditional process is that lines are either under-provisioned by being programmed to a speed lower than what they can support, or over-provisioned by being programmed to a speed that is too high to maintain stability. Under-provisioned lines lead to lost revenue opportunities for higher-speed services or for applications such as IPTV. Over-provisioned lines lead to higher maintenance costs from customer complaints and high churn rates.

Based on the DSL operator's service tiers and quality-of-service targets, ASSIA DSL Express automatically configures all lines in the network to the highest possible stable speed. ASSIA DSL Express is run proactively on all lines in an operator's network on a daily basis. It can also be run reactively in the case of newly provisioned lines, or at the request of technical or customer support personnel.

Figure 2 shows the results of automatic re-profiling in a commercial network with ADSL1 and ADSL2/2+ equipment. Downstream rates are shown on the left. Stability appears on the right, characterized by a combination of code violations in a 15-minute period, and modem retrains in a 12-hour period. The light and dark blue stability categories are suitable for IPTV.


In these real-life results, ASSIA DSL Express increased the fraction of users that could receive speeds in excess of 10 Mbps from roughly 5 percent of the network to nearly 60 percent of the network. At the same time, the fraction of users with poor quality IPTV services was reduced by nearly 75 percent, from 37 percent of the network to 9 percent of the network.

DIAGNOSTICS

ASSIA DSL Express analyzes data collected from DSLAMs and EMSs to produce powerful and unique DSL and physical layer performance diagnostics (see Table 1 on last page).

These diagnostics help improve customer care and increase technical staff efficiency, significantly reducing the number of steps required to restore service, and eliminating or reducing expensive technician visits through improved problem localization.

ASSIA DSL Express's powerful neighborhood analysis feature quickly separates customer premises problems from outside plant problems, enabling DSL operators to dispatch the correct repair personnel and to proactively plan plant upgrade or repair services. Unlike SELT and other diagnostic approaches, ASSIA DSL Express diagnostics do not interrupt the customer's DSL service. The diagnostics are easily accessible by all authorized operator personnel using standard Web browsers, such as Firefox or Internet Explorer via the Web client interface. In addition, the ASSIA DSL Express northbound interface provides a standard XML-based mechanism for distributing diagnostic data to other OSS systems.



Diagnostics are easily accessible by all authorized personnel using standard Web browsers.

REAL-TIME PERFORMANCE EVALUATION

This state-of-the-art capability can easily be triggered by the field technician while on dispatch, and confirms in real time that the problem has actually been fixed and that DSL performance is restored or enhanced. The result is an improvement in technician performance in the field and a reduction in the number of repeat calls and dispatches.

The Performance Evaluation module requires supplementary licensing and may be integrated through ASSIA professional services into the service provider's Interactive Voice Response (IVR) systems. This enables intelligent triage to level-2 DSL technicians when an actual physical layer fault is detected by ASSIA DSL Express. This powerful, real-time capability helps reduce the unnecessary level-1 manual investigation and increases customer satisfaction.

SERVICE RECOMMENDER

Using the DSL operator's service tiers, the Service Recommender analyzes the characteristics of all DSLs in the network to identify lines that can support a higher level of service than that for which they are currently provisioned (and hence produce higher Average Revenue per User).

The Service Recommender software module lets the operator target new service offerings to specific subscriber groups, whose lines can sustain the higher grade of service. This helps improve marketing returns and sales costs and can lead to higher customer satisfaction with reduced churn.

Figure 3 illustrates the performance differences between a traditional loop qualification system and the DSL Express Service Recommender software module. The section in gold indicates the portion that the loop qualification tool erroneously identified as capable of carrying the 7 Mbps DSL service, causing customer frustration and high opex for the service provider to manage. The section in dark blue identifies the portion of lines which have been marked as not qualifying for the same 7 Mbps service and could actually generate supplementary revenue for the service provider.

Service Recommender requires additional licensing, and results can be viewed with a Web browser or accessed through operations support systems via the ASSIA DSL Express northbound interface.




FIGURE 3. Performance comparison between traditional loop qualification systems and DSL Express Service Recommender for ASSIA customer

Makes Economic Sense Today and Tomorrow

ASSIA DSL Express greatly improves the economics of DSL operations. Revenues are improved through reductions in churn and increased sales opportunities for higher-tier services and bandwidth-intensive applications like IPTV. Operating costs are reduced due to fewer customer calls and reduced technician dispatches.

ASSIA DSL Express can deliver these benefits by extending DSLAM reach, automating the repair/re-profiling of DSLs, improving the efficiency of customer care operations, and improving the service provider's ability to manage vendor relationships through network-level analysis.

Furthermore, capital costs can be reduced through extensions in the DSLAM rate/reach curve that extend the usefulness of existing DSLAMs in the network.

Realizable improvements depend on the details of the operator's business and network. For that reason, ASSIA routinely works with operators to develop in-depth economic analyses of ASSIA DSL Express tailored to a particular network or business model. Contact ASSIA today to arrange a trial of ASSIA DSL Express in your network, and start taking your existing DSL infrastructure to a whole new level.

LOOP DIAGNOSTICS	NOISE ANALYSIS	CONNECTION STATISTICS	NETWORK PERFORMANCE
✓ Loop Length	✓ DSL Crosstalk	✓ Maximum Data Rate	✓ Rate, QoS Analyses
✓ Bridged Taps	✓ AM Noise	✓ Code Violation Rates	✓ Vendor Comparisons
✓ Bad Splice	✓ T1/E1 Crosstalk	✓ Retrain Rates	✓ Neighborhood Analysis
✓ MABR after Removal of Impairment	✓ ISDN Crosstalk	✓ Power and Margins	

TABLE 1. DSL Express Diagnostics (partial list)

Contact ASSIA today

+1.650.654.3400
or email
sales@assia-inc.com



333 Twin Dolphin Drive
Redwood City, CA 94065
Tel: +1-650-654-3400
Fax: +1-650-654-3404
www.assia-inc.com

© 2011 ASSIA, Incorporated.
All rights reserved.

ASSIA, the ASSIA logo, and DSL Express are registered trademarks of ASSIA, Incorporated. All other product names, company names, logos, and trademarks are used herein for identification purposes only and are the property of their respective companies.

Rev 050511 P/N MC-E1-0103-01-04